AD300

300W AC Drives kit

Overview

300W AC Drives kit are used to control all aspects of the electrical machines. The trainer introduces trainees to electrical drives to allow studying their operation and applications. The trainer adopts the modular design to install electrical machines modules to a sturdy metal frame to allow trainees to connect modules to each other using safety cables. The trainer is supplied with a software to measure the machines parameters and display the measured values.




Specifications

- The 300W AC Drives kit facilitates building a true-to-life learning environment that mirrors real-life work of study and industry relevant skills including how to operate, install and tune major types of AC systems
- Many applications can be explained through this trainer such as control of speed acceleration ramp time & deceleration ramp time in various applications
- The trainer allows trainees to operate, control and test the drivers.
- The 300W AC Drives kit can work with the 300 Watts Machines (not included) easily, also it`s designed as modular that can fit perfectly on the Machine & Drive Lab Supply Unit (not included), the kit contains many modules that can be used together to execute different experiments

BEDO ® reserves the right to change materials or modify the design of its product without notification as part of the company's continuing product improvement program

AC VFD Drive Module
Code: (AD300.01)



- The basic function of a variable Frequency drive (VFD) is to control the flow of energy from the mains to the process. Variable speed drives sit between the electrical supply and the motor. Power from the electrical supply goes into a drive and the drive then regulates the power that is fed to the motor.
- Technical data
  - » Input:
    - 3-Phase, 380-480V, 48,63Hz
    - AC Voltage Range: 342-528V
  - » Output:
    - 3-Phase, 0-80Hz
    - AC Voltage Range 0-460V
    - Continuous Amps: 1.4A

AC Vector Drive Module
Code: (AD300.02)




- Vector Control Technique used in 3 phase AC induction motor output by means of controlling the voltage magnitude, voltage angle and the frequency. It was used initially for applications that require constant torque over full speed range, constant speed irrespective of load variations, and full torque at zero speed. In addition, it requires a closed loop card to function different control Technique
- Technical data
  - » Input
    - Normal Duty: 3PH 380-480V 50/60Hz 4 A
    - Heavy Duty: 3PH 380-480V 50/60Hz 3.7 A
  - » Output:
    - Normal Duty: 3PH 0-480V, 3A,
    - 1 KVA, 0.75KW, 1HP
    - Heavy Duty: 3PH 0-480V 2.2 A 0.5H
    - Frequency Range: 0-80Hz

Load Torque Controller Module
Code: (AD300.03)




- » Input voltage: 220VAC
- » Input signal: potentiometer 1 k ohm
- » Output: dc PWM with to control Load torque.

Eddy Current Brake
Code: (AD300.04)



- » Nominal shaft speed: 1500rpm
- » Maximum braking power: 1000 w
- » Nominal Input voltage: 0 -12 VDC


Line Fuse Module
Code: (AD300.05)



- » 3 x DIN-Rail Mounted Fuses Holders with 38*10 Fuses 3A
- » Fast fuse Type

BEDO ® reserves the right to change materials or modify the design of its product without notification as part of the company's continuing product improvement program

Isolating Transformer Module
Code: (AD300.06)




» Operates as the main power supply for drives

» Includes protection switch to protect the transformer

» 380/380V Δ/Y, 1.5 kVA

Three-Phase Squirrel Cage Motor with Encoder
Code: (AD300.07)



» Motor: 220/380 Δ/Y, 1500 rpm, 0.5 HP

» Encoder: 4.75-30 VDC, 1000 Imp

- Embedded filter Reactor in VFD and AC Vector Drive Module

Experiments

- Learning of the operation, characteristics, and construction of different AC electric motor drives.
- Understanding the principles and installation of VFD units
- AC motors control explanation: inverter drives.
- Studying of acceleration/ torque control requirements of AC motors and load matching

Scope of Delivery

- 300W AC Drives kit (AD300)
- Hard copy user manual

Options

- Digital content (BI01)

BEDO ® reserves the right to change materials or modify the design of its product without notification as part of the company's continuing product improvement program